

www.kyafasteners.com



Fasteners & Tools

Fixadores & Ferramentas

Sujetadores & Herramientas

KYA FASTENERS

Room 606, 3rd Building, Rongsheng Manhattan Plaza,

Hengshan Road, Xinbei District, Changzhou, 213022 Jiangsu China

Tel 0086-519-8988 6376. Fax 0086-519-8919 6376

david.le@kyafasteners.com

Loose D Rings





Primary Applications:

- Furniture Industry
- Automotive Industry
- Landscape Industry
- Fence Industry

Description	Item No.	Pcs/Strip	Lbs/Box	Boxes/Skid
15G Bright Loose Sharp (3/4")	15DL	/	25	80
15g Stainless Loose Blunt (3/8")	315DSSB	/	25	80
14g Galvanized Loose Blunt (3/8")	314DGB	/	25	80
14g Stainless Loose Blunt (3/8")	314DSSB	/	25	80
15g Stainless Loose Blunt (1/2")	515DSSB	/	25	80
14g Galvanized Loose Blunt (1/2")	514DGB	/	25	80
14g Stainless Loose Blunt (1/2")	514DSSB	/	25	80
15g Stainless Loose Blunt (3/4")	715DSSB	/	25	80
14g Galvanized Loose Blunt (3/4")	714DGB	/	25	80
14g Stainless Loose Blunt (3/4")	714DSSB	/	25	80

Hog Rings

Hog rings are used to fasten two objects together in an easy and convenient way including upholstery, fabrics and wire fence and wire cages. Compared to their counterparts such as staples or nails, hog rings provide more secure and firmer connection.

Hog ring fasteners are made of sturdy metal, allowing them to be bent while maintaining the ring integrity. Stainless steel, polished steel, galvanized and aluminum are frequent options. Copper plated and vinyl coated in different colors are also supplied on special request.

Hog rings have two types of points - sharp tip and blunt tip. Sharp points offer good piercing capabilities and consistent ring closure. Blunt tips promote safety hurting none who or which will be contacted directly.


Popular Applications:

- Animal cages,
- Bird control netting,
- Small bag closure,
- Silt fence,
- Chain link fence,
- Chicken fencing,
- Gardening,
- Lobster and crab traps,
- Car upholstery,
- Insulation blankets,
- Domestic upholstery,
- Floral arrangements and other applications.









16GA 516 C Rings


GAUGE: 16GA
CROWN: 16.8mm
THICKNESS: 1.6mm
HEIGHT: 9mm


Primary Applications:


- Insulation Blankets
- Animal Pots & Cages
- Bungee Cords
- Small Bag Closure
- Cargo Netting
- Bird Control Netting
- Rope
- Oil Absorption Socks











Description	Item No.	Pcs/Strip	Pcs/Box	Boxes/Skid
Galvanized Sharp Point	516G100	100	10000	150
Galvanized Blunt Point	516G100B	100	10000	150
Galfan Sharp Point	516GF100	100	10000	150
Stainless Steel Sharp Point	516SS100	100	10000	150
Stainless Steel Blunt Point	516SS100B	100	10000	150
Aluminum Sharp Point	516AL100	100	10000	150
Aluminum Blunt Point	516AL100B	100	10000	150


16GA 616G50/SR8 C Rings


GAUGE: 16GA
CROWN: 19.8mm
THICKNESS: 1.6mm
HEIGHT: 10.4mm


Primary Applications:


- B&B Trees
- Tagging Pots
- Bag Closure
- Cages
- Crafts
- Bird Control Netting
- Bungee Cords











Description	Item No.	Pcs/Strip	Pcs/Box	Boxes/Skid
Galvanized Sharp Point	616G50	50	2500	800
Galvanized Blunt Point	616G50B	50	2500	800
Galfan Sharp Point	616GF50	50	2500	800
Stainless Steel Sharp Point	616SS50	50	2500	800
Stainless Steel Blunt Point	616SS50B	50	2500	800
Aluminum Sharp Point	616AL50	50	2500	800
Aluminum Blunt Point	616AL50B	50	2500	800

16GA 16110 C Rings


GAUGE: 16GA
CROWN: 23.8mm
THICKNESS: 1.6mm
HEIGHT: 12mm

Primary Applications:

- Animal Cages
- B&B Trees
- Insulation Blankets
- Bungee Cords
- Nursery Pot Tagging
- Traps · Bag Closure
- Securing Wire Mesh
- Oil Absorption Socks







Description	Item No.	Pcs/Strip	Pcs/Box	Boxes/Skid
Galvanized Sharp Point	16G110	110	11000	100
Galvanized Blunt Point	16G110B	110	11000	100
Galfan Sharp Point	16GF110	110	11000	100
Stainless Steel Sharp Point	16SS110	110	11000	100
Stainless Steel Blunt Point	16SS110B	110	11000	100
Aluminum Sharp Point	16AL110	110	11000	100
Aluminum Blunt Point	16AL110B	110	11000	100

15GA 15100 C Rings


GAUGE: 15GA
CROWN: 23.8mm
THICKNESS: 1.8mm
HEIGHT: 12mm

Primary Applications:

- Furniture Industry
- Automotive Seating
- Animal Cages
- Bungee Cords
- Insulation
- Silt Fence
- Bag Closure
- Bedding







Description	Item No.	Pcs/Strip	Pcs/Box	Boxes/Skid
Galvanized Sharp Point	15G100	100	10000	100
Galvanized Blunt Point	15G100B	100	10000	100
Galfan Sharp Point	15GF100	100	10000	100
Stainless Steel Sharp Point	15SS100	100	10000	100
Stainless Steel Blunt Point	15SS100B	100	10000	100
Aluminum Sharp Point	15AL100	100	10000	100
Aluminum Blunt Point	15AL100B	100	10000	100

11GA 1140 C Rings


GAUGE: 11GA
CROWN: 45mm
THICKNESS: 3.0mm
HEIGHT: 20mm

Primary Applications:

- Gabion Basket Installation
- Commercial Fence Installation
- Large Bag Closure
- Oil Absorption Socks
- Crafts
- Construction
- Erosion Control
- Swing Sets







Description	Item No.	Pcs/Strip	Pcs/Box	Boxes/Skid
Low Tensile Galvanized Sharp Point	11RG40	40	1600	96
Low Tensile Galvanized Blunt Point	11RG40B	40	1600	96
High Tensile Galvanized Sharp Point	11G40	40	1600	96
High Tensile Galfan Sharp Point	11GF40	40	1600	96
Stainless Steel Sharp Point	11SS40	40	1600	96
Aluminum Sharp Point	11AL40	40	1600	96
Aluminum Blunt Point	11AL40B	40	1600	96

11GA 1150 C Rings


GAUGE: 11GA
CROWN: 46mm
THICKNESS: 3.0mm
HEIGHT: 23mm

Primary Applications:

- Gabion Basket Installation
- Commercial Fence Installation
- Large Bag Closure
- Oil Absorption Socks
- Crafts
- Construction
- Erosion Control
- Swing Sets







Description	Item No.	Pcs/Strip	Pcs/Box	Boxes/Skid
Low Tensile Galvanized Sharp Point	11RG50	40	1600	96
Low Tensile Galvanized Blunt Point	11RG50B	40	1600	96
High Tensile Galvanized Sharp Point	11G50	40	1600	96
High Tensile Galfan Sharp Point	11GF50	40	1600	96
Stainless Steel Sharp Point	11SS50	40	1600	96
Aluminum Sharp Point	11AL50	40	1600	96
Aluminum Blunt Point	11AL50B	40	1600	96

15GA 515D50 D Rings


GAUGE: 15GA
CROWN: 17.8mm
THICKNESS: 1.8mm
HEIGHT: 9.5mm

Primary Applications:

- B&B Trees
- Tagging Pots
- Animal Cages
- Bag Closure
- Crafts
- Bird Control
- Lobster Pots







Description	Item No.	Pcs/Strip	Pcs/Box	Boxes/Skid
Galvanized Sharp Point	515DG50	50	2500	750
Galvanized Blunt Point	515DG50B	50	2500	750
Galfan Sharp Point	515GF50	50	2500	750
Stainless Steel Sharp Point	515SS50	50	2500	750
Stainless Steel Blunt Point	515SS50B	50	2500	750
Aluminum Sharp Point	515AL50	50	2500	750
Aluminum Blunt Point	515AL50B	50	2500	750

15GA 15D50/HR22 D Rings


GAUGE: 15GA
CROWN: 22mm
THICKNESS: 1.8mm
HEIGHT: 11.5mm

Primary Applications:

- Furniture Industry
- Seating
- Animal Cages
- Fence Industry
- Bungee Cords
- Bedding
- Bag Closure







Description	Item No.	Pcs/Strip	Pcs/Box	Boxes/Skid
Galvanized Sharp Point	15DG50	50	10000	100
Galvanized Blunt Point	15DG50B	50	10000	100
Galfan Sharp Point	15DGF50	50	10000	100
Stainless Steel Sharp Point	15DSS50	50	10000	100
Stainless Steel Blunt Point	15DSS50B	50	10000	100
Aluminum Sharp Point	15DAL50	50	10000	100
Aluminum Blunt Point	15DAL50B	50	10000	100

15GA HR30 D Rings


GAUGE: 15GA
CROWN: 29.3mm
THICKNESS: 1.8mm
HEIGHT: 14mm

Primary Applications:

- Fencing
- Wire cages
- Animal Cages
- Bag Closure
- Gardening
- Upholstery
- Lobster Pots







Description	Item No.	Pcs/Strip	Pcs/Box	Boxes/Skid
Galvanized Sharp Point	HR30G	50	3500	750
Galvanized Blunt Point	HR30GB	50	3500	750
Galfan Sharp Point	HR30GF	50	3500	750
Stainless Steel Sharp Point	HR30SS	50	3500	750
Stainless Steel Blunt Point	HR30SSB	50	3500	750
Aluminum Sharp Point	HR30AL	50	3500	750
Aluminum Blunt Point	HR30ALB	50	3500	750

17GA HR14 D Rings


GAUGE: 17GA
CROWN: 13.8mm
THICKNESS: 1.3mm
HEIGHT: 7.5mm

Primary Applications:

- Fencing
- Wire cages
- Animal Cages
- Bag Closure
- Gardening
- Upholstery
- Lobster Pots







Description	Item No.	Pcs/Strip	Pcs/Box	Boxes/Skid
Galvanized Sharp Point	HR14G	100	10000	750
Galvanized Blunt Point	HR14GB	100	10000	750
Galfan Sharp Point	HR14GF	100	10000	750
Stainless Steel Sharp Point	HR14SS	100	10000	750
Stainless Steel Blunt Point	HR14SSB	100	10000	750
Aluminum Sharp Point	HR14AL	100	10000	750
Aluminum Blunt Point	HR14ALB	100	10000	750

Mattress Clips


Hartco Clips are made of high quality material, and jointed with two Poly Ethylene cording, which does not degrade over time to ensure the stability and smooth of the clips, rolls of clips will be more convenient and efficient to use. They are mainly used in the connection between the frame and the spring of mattress or sofa and car seat assembling.

Clinch Clips come in a range of sizes and can be used for a range of applications, upholstery, fencing, gabions, animal cages to name a few.
We produce Clinch clips loose to be used with our hand tools and also on collated strips for professional use.

Our clinch clips are made by us in the China, we also supply a wide range of hand & air tools for quick and neat closures of our range of clips.

Features:

(Materials) Made of High Quality Galvanized or Cold-roll Steel.
(High Quality) ① Galvanized: Glossy appearance, Rust-proof surface, Superior corrosion resistance, Excellent rust resistance, Longer service life.
② Cold-roll Steel: Wear-resistant, High hardness, Good crack resistance, Good mechanical properties, High dimensional accuracy
(Satisfy Your Needs) Ideal for spring mattress, car seat, sofa spring, lobster traps, clam traps, fencing, wire cages, bedding, upholstering, etc.





Primary Applications:

- Mattress
- Furniture
- Animal Cages
- Concrete Pipe
- Lobster Pots
- Traps
- Bird Feeders
- Crafts
- Automotive Seating








MATTRESS CLIPS







VERTEX P/N	Hartco P/N	Tool P/N	Clips/Box
64A18SG	CLP-15G	2000-1020/1929	10,340
71A18SG	CLP-13G	2000-1020/1929	9,400
72E18S	CLP-20	2000-3236	6,110
74H18S	CLP-23	2000-6080	4,230
76A18R	CCP-26	2500-1020	14,500
80F23S	CLP-312	2000-6181	4,320
80H23S	CLP-3	2000-6181	3,600
80H23SG	CLP-3G	2000-6181	3,600
88A22R	CCP-32	2500-1022	12,300
88H23S	CLP-4	2000-6181	3,200
90F18SG	CLP-2412G	2000-6082	3,948
90H18S	CLP-24	2000-6082	3,290
90H18SC	CLP-24C	2000-6082	3,290
90H18SG	CLP-24G	2000-6082	3,290
101F23SAL	CL-34NAL	2000-4157T	3,360
101H23SG	CLP-34G	2000-6183	2,800
101H23S	CLP-34	2000-6183/6189	2,800
101H23SAL	CL-34AL	2000-6187T	2,800
101H23SC	CLP-34C	2000-6183	2,800
110E25SS4	CLP-35SS4	2000-6189E	2,886
110E25SS3	CLP-35SS3	2000-6189E	2,886
110H25S	CLP-36	2000-6189	2,220
110H25SAL	CL-36AL	2000-6187T	2,220
135H31S	CL-38T	2000-6788	1,550

CLIP TYPE:
S - Strip Type
R = Roll Form

MATERIAL TYPE:
G = Galvanized
AL = Aluminum
S = Stainless

SPECIAL FEATURE:
C = Cushion